




KONICA MINOLTA

## **bizhub PRESS C7000/C6000 Production**

Extraordinary imaging for enhanced  
colour production



**bizhub PRESS** 




# Colour production power through and through

Central reprographic departments and print providers will welcome the Konica Minolta bizhub PRESS C7000/C6000 Production that combines high-speed colour printing with an extensive range of inline finishing options. With amazing imaging capabilities and consistent print quality, the bizhub PRESS C7000/C6000 Production opens up a new era of superb quality colour output. Inimitable modularity provides unmatched versatility and ensures perfect adaptability to the entry production environment.

The bizhub PRESS series features ground-breaking 8-bit colour depth that prints smooth gradients without a visible moiré pattern. It guarantees close-to-offset results that are brighter and more constant than what digital technology could previously achieve. Its highly versatile media handling, professional finishing versatility and simplified workflow integration increase overall productivity and create ample opportunities for new business.

In the PRESS series, the bizhub PRESS C7000/C6000 Production invites professionals to “Expect Impact” – and it delivers! Konica Minolta’s colour professionals incorporate the latest imaging technology promising finer colour, enhanced print quality and swifter production speed. In addition to its advanced finishing capabilities, the robust design and impressive media flexibility distinguish the bizhub PRESS C7000/C6000 Production from any other product in its class!





## Dedicated to customer needs

- The bizhub PRESS C7000/C6000 Production is highly reliable, flexible and productive with a fast print speed of 71 or 60 colour impressions per minute.
- Varied customer needs are easily met with the four controllers supported by the bizhub PRESS C7000/C6000 Production. These are the IC-307 Creo controller, the EFI Fiery IC-306, the embedded Konica Minolta controller IC-601 and the EFI Fiery IC-413 controller.
- Featuring proven, advanced Konica Minolta precision print technology in their hardware and versatile software, the bizhub PRESS C7000/C6000 Production delivers outstanding quality. In addition, proprietary Konica Minolta developments like Simitri® HD and S.E.A.D. II satisfy even the most discerning customer's quality expectations.
- With impressive media flexibility, the bizhub PRESS C7000/C6000 Production meets virtually any print job request, including paper formats from A5 to SRA3 (max 330 x 487 mm) and weights ranging from 64 to 300 gsm.
- Commercial printers will benefit from the bizhub PRESS C7000/C6000 Production which offers auto-duplex printing on paper stocks up to 300 gsm.
- Advanced finishing facilities provide essential impact to boost customers' business opportunities. With an extensive range of finishing options including booklet trimming and perfect binding, the finishing capabilities of the bizhub PRESS C7000/C6000 Production are truly comprehensive and highly professional.


- Integrating seamlessly with the bizhub PRESS C7000/C6000 Production, Printgroove POD further enhances production capabilities and increases the overall effectiveness of the production facility. The software suite optimises workflows and streamlines production processes, enabling configuration of individual workflows.

## Environmentally committed

With all-round capabilities, the bizhub PRESS C7000/C6000 Production stands for colour production printing at its best and boasts features that reduce the impact on the environment.

- Konica Minolta's proprietary polymerised toner, Simitri® HD, uses biomass as one of its components. This makes it CO<sub>2</sub>-neutral during recycling. At the same time the polymerisation process generates around 40% less CO<sub>2</sub> than conventional toner production. In addition, Simitri® HD enables fusing at lower temperatures, reducing energy consumption and further reducing related CO<sub>2</sub> emissions.
- Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies.
- As part of its zero-waste manufacturing concept, Konica Minolta strives to minimise the ecological impact of its products with efficient environmental activities throughout all stages of the product lifecycle. One aspect of this is reusable or recyclable packaging materials for hardware and consumables to minimise the waste generated by each device.

# Colour processing technologies



The bizhub PRESS C7000/C6000 Production features the latest in Konica Minolta's very own advanced colour processing technology. Innovations like S.E.A.D.II, ITbit technology, CRS, Simitri® HD polymerised toner and Konica Minolta's 'air-assist' paper feeding technology provide an unbeatable combination of outstanding quality and smooth processing, ensuring perfect results and the highest reliability.



## S.E.A.D. II

Developed by Konica Minolta, S.E.A.D. stands for Screen-Enhancing Active Digital Process and combines an array of technical innovations to guarantee truly exceptional colour reproduction at top speed.

S.E.A.D. II represents the second generation of Konica Minolta's advanced colour processing technology and includes these important capabilities:

- **1,200 x 1,200 dpi x 8-bit print resolution**


The impressive print resolution on the bizhub PRESS C7000/C6000 Production reproduces finest characters and thinnest lines to perfection. In combination with proprietary Simitri® HD toner, this results in high resolution printing with close-to-offset quality.

- **FM screen technology**

With the excellent resolution of 1,200 dpi, the bizhub PRESS C7000/C6000 Production provides additional screens for higher quality prints, enabling smoother and more realistic image reproductions that perfectly match print data. The Frequency Modulated (FM) screen technology ensures smooth and jagged-free images.

- **ITbit technology**

Outline processing improves the appearance of characters by thinning them so they do not appear fat. Contour processing helps to reproduce white characters on backgrounds with ideal proportions and reduces jagged edges of half-tone characters.



- **Image stability**


Innovative short interval stability control monitors image consistency on the bizhub PRESS C7000/C6000 Production during continuous printing. Corrections are fully automatic and improve the stability of the image quality, while the whole process considerably enhances production efficiency.

- **Automated colour management tools promise increased productivity**

The bizhub PRESS C7000/C6000 Production streamlines workflows with completely hands-free calibration. This allows operators to focus on producing more outstanding quality jobs in less time.

- **Colour Retention and Stability (CRS)**

The exclusive CRS technology constantly monitors the status of the bizhub PRESS C7000/C6000 Production. Receiving continuous feedback about changes in the print environment and the engine, CRS immediately makes the necessary adjustments to always maintain high quality printing.



## Simitri® HD

An essential requirement in production printing, the bizhub PRESS C7000/C6000 Production delivers a superior colour image quality as well as impressive black density with unique Simitri® HD polymerised

toner. Simitri® HD also ensures an unparalleled colour image stability and with its reduced fusing temperature supports a truly impressive range of media, virtually eliminating paper curling.

## Ultra-smooth paper processing

The bizhub PRESS C7000/C6000 Production features fast and ultra smooth paper processing. Where required, an optional heating unit inside the paper magazine dries paper stock before printing. Konica Minolta's 'air-assist' paper feeding technology separates sheets and feeds them individually – a process that double-feed detection sensors make even more reliable! Thanks to an innovative printing and developing process, fusing temperatures are low, resulting in a considerable increase in media flexibility. Each individual print is cooled and de-curled before output giving optimum results. This performance can be further enhanced with a unique optional humidification decurler that elevates the moisture content in the paper and eliminates curling and electrostatic cling.

## High availability

Konica Minolta's remote diagnostics system CS Remote Care means pro-active support for each bizhub PRESS C7000/C6000 Production in the field. With constant analysis of the system performance, CS Remote Care enables automated reporting and preventive maintenance, effectively assuring maximum system uptime.


In addition, operators can avoid longer production interruptions with self-maintenance. Qualified training and support is available with ORU-M, Konica Minolta's Operator Replaceable Unit Management program.

# True production **capabilities**



Whatever the configuration, the bizhub PRESS C7000/C6000 Production combines impressive colour speed and superb quality output with durability, reliability and a streamlined, integrated design. Each system represents an economically viable solution customised for printing environments that want to offer customers the full scope of competitively priced, diverse printing choices.

- By offering reasonable and sustainable running costs the bizhub PRESS C7000/C6000 Production significantly helps professional printers to ensure competitiveness and achieve attractive margins. Konica Minolta's progressive digital production printing presses deliver the productivity gains and economic potential that are essential for professional printing environments.
- The bizhub PRESS C7000/C6000 Production is available in 40 different system configurations, all providing the same robust colour printing and comprehensive performance, while tailored to the flexible needs of individual professional user groups. All product versions are available as multifunction devices with scanning and copying functionality – and alternatively as pure printers for environments that concentrate exclusively on print production.
- These digital printing presses are ideal for heavy-duty production and ensure short turnaround times can be met. With their output capacity of up to 71 (bizhub PRESS C7000 Production) and 60 (bizhub PRESS C6000 Production) impressions per minute in both full colour and b/w, paper and toner refill on-the-fly functionality, these presses are capable of handling extensive output volumes.



- The bizhub PRESS C7000/C6000 Production impresses with sophisticated paper processing capabilities. Providing up to 7,500 pages input and up to 13,600 pages output capacity, the digital presses process a wide range of substrates, including media weights of up to 300 gsm – whether coated paper, card or digital offset stock.
- To satisfy the diverse requirements of the most varied professional printing environments, the bizhub PRESS C7000/C6000 Production can be equipped with three different controllers that all guarantee fast and smooth processing of colour jobs:
  - The external EFI controller IC-306 is a viable all-round layer that supports the impressive system functionality with latest Fieri technology and provides an intuitive, user-friendly interface between operator and digital press.
  - The external CREO controller IC-307 is the perfect solution for VDP applications (Creo VPS) and an ideal choice for hybrid prepress workflows. Proprietary Creo Colour Server technology supports the bizhub PRESS C7000/C6000 Production as robust workflow solutions with outstanding print quality and exceptional productivity.
- The embedded Konica Minolta controller IC-601 offers affordable colour management as well as seamless integration with a wide range of Konica Minolta applications. The highlight of the IC-601 is its complete implementation into the bizhub PRESS C7000/C6000 Production with full panel integration of the controller operation.
- The embedded EFI controller IC-413 offers simple, affordable colour management and streamlined processing of print files to enhance the productivity of novice users and creative professionals. With its generous range of standard-setting colour tools, Fieri ColourWise delivers excellent colour that is consistent across applications, computer platforms, colour spaces and colour file formats.
- One precondition for success in the production printing sector is high precision. The bizhub PRESS C7000/C6000 Production meets this challenge with a back-to-front and page-to-page registration that comes very close to offset printing results.
- Ease of use is another attractive asset of the bizhub PRESS C7000/C6000 Production. Convenience, speed, easy handling and no-nonsense operation were among the top development priorities for Konica Minolta's colour production systems. This is reflected with the large full-colour operator panel for clear and easy access to all functions.

# Unparalleled finishing choices

Professional finishing of the printed product is an integral part of any production run – however, flexibility is the key.

## **bizhub PRESS C7000/C6000 (main unit)**

The bizhub PRESS C7000/C6000 boasts a number of professional features that ensure the production of sophisticated document formats. Mixplex for example allows combining single- and double-sided pages within one document. Mixmedia lets the user specify individual paper types from various trays on page-level. The combined mixmedia and mixplex function fully automates the production of complex single and double-sided documents on different media.



- two-sided printing/duplex
- one sided printing
- paper/toner refill during operation
- mixplex one/two sided – during operation
- combined mixplex/mixmedia
- mixmedia white/colour sheets from different trays

## **Paper feed unit (PF-602)**

The paper feed unit PF-602 increases the paper input capacity to 7,500 sheets. Its air-assist paper feeding and optional dehumidifier further enhance the media flexibility of the bizhub PRESS C7000/C6000 Production.




- mixplex one/two sided – during operation
- combined mixplex/mixmedia
- mixmedia white/colour sheets from different trays

## **Relay unit (RU-509)**

The relay unit RU-509 cools down the prints for immediate finishing and is equipped mechanical decurler for smooth and straight prints. Performance can be enhanced by adding the optional humidification de-curler (HM-102).








### Stapling unit (FS-521)

Equipped with the FS-521 the bizhub PRESS C7000/ C6000 Production provide multi-position stapling making this the perfect choice for the production of manuals, reports and other extensive documentation.




### Folding and punching unit (FD-503)

The ideal choice for the production of mailings, flyers and more, the FD-503 is used to its best advantage in combination with the booklet maker, staple finisher or perfect binder. The folding and punching unit provides six different folding schemes, two or four-hole punching with 100% productivity, and the post-insertion of pre-printed sheets and covers.



### Multi (GBC) punching unit (GP-501)\*

The multi punching unit offers high performance multi (GBC) punching of sheets at full system speed in preparation for offline spiral binding. Various available die sets correspond to the most popular punching schemes, such as metal-based coil (velo) and plastic (comb) binding.







### Stacking unit (LS-505)

Equipped with the large capacity stacker unit, the bizhub PRESS C7000/C6000 Production is perfectly suited for integration into environments with existing finishing facilities, such as insertion or postage metering facilities. A big improvement to all near-line finishing work.



 trolley stacker	 off-set stacking	
--	---	--

### Booklet making unit (SD-506)

The booklet-maker provides added value as ideal finishing equipment for all kinds of saddle stitched and trimmed booklets. It speeds up the online production of leaflets, brochures, catalogues and other marketing, sales and training materials.








 colour sheet insertion, booklet	 colour cover insertion, booklet	 trimming	 multi letter fold in	 booklet (folding and saddle stitching)	 multi half fold	
--	--	---	---	---	--	--

### Perfect binding unit (PB-503)

This is the finisher for in-line production of all kinds of perfect-bound books. The functionality offers the insertion of z-folds and the inclusion of pre-printed colour covers and sheets. Book binding is possible for books with a spine width of up to 30 mm and includes in-line cover trimming. Perfect bound books are output into a trolley stacker. The integrated cover tray has capacity for up to 1,000 sheets.



 perfect binder	 perfect binder z-fold	 trolley stacker for perfect bound books	 perfect binder colour cover insertion	 perfect binder colour cover sheet insertion	
---	--	--	--	--	--

# Technical specifications

## Printer specifications

### Print speed A4

Up to 71 ipm (bizhub PRESS C7000)  
Up to 60 ipm (bizhub PRESS C6000)

### Print speed A3

Up to 38 ipm (bizhub PRESS C7000)  
Up to 34 ipm (bizhub PRESS C6000)

### Print resolution

1,200 x 1,200 dpi x 8bit  
MAX: 1,200 x 3,600 dpi equivalent

### Gradations

256 gradations

### Paper range

64–300 gsm

### Duplex Unit

Non-stack type, 64–300 gsm

### Paper sizes

#### A5-SRA3

**Maximum image area**  
321 x 480 mm

#### Paper input capacity

Maximum: 7,500 sheets  
Main unit: up to 1,500 sheets  
PF-602: up to 6,000 sheets

#### Paper output capacity

Maximum: 13,600 sheets  
Stacking unit with trolley: 5,000 sheets  
Large capacity tray: 3,000 sheets  
Per sub tray: 200 sheets

#### Main unit dimensions (W x D x H mm)

760 x 992 x 1,076 mm

#### Main unit weight

356 kg (only main unit)

## Controller specifications

### IC-306 EFI Fiery controller

#### CPU

®Intel Core2Quad @ 2.66 GHz

#### RAM

2 GB high-speed memory

#### HDD

160 GB SATA hard drive

#### Interface

Ethernet (10/100/1000-Base-T)

#### File formats

Adobe® PostScript® Level 1, 2, 3  
Adobe® PDF 1.4, 1.5, 1.6, 1.7;  
PDF/X-1a, 3; EPS(option); TIFF(option);  
TIFF/IT(option); JPEG(option);  
PPML; Creo VPS compatible  
Fiery® FreeForm™ v1/Fiery® FreeForm™  
v2.1

#### Client environments

Windows® 7/2000/XP/Vista™  
Windows® Server 2003/2008  
Macintosh® OSX (10.3.9 or later)  
Intel Macintosh OSX (10.4 or later)  
IC-307 Creo/Kodak Controller

#### CPU

®Intel Core i7 @ 2.8 GHz

#### RAM

2 GB system memory  
3 GB image memory

#### HDD

2 x 500 GB system memory  
2 x 500 GB image memory

#### Interface

Ethernet (10/100/1000-Base-T)

#### File formats

Adobe® PostScript® Level 1, 2, 3  
Adobe® PDF 1.3 1.4, 1.5, 1.6, 1.7;  
PDF/X-1a; EPS; TIFF (except for  
Progressive JPEG and JPEG 2000);  
CT/LW  
Creo VPS  
PPML

#### Client environments

Windows® 7/XP/Vista™  
Windows® Server 2003/2008  
Intel Macintosh OSX up to 10.6 (64bit)  
IC-601 Konica Minolta  
embedded controller

#### CPU

®Intel Core2Duo @ 2.8 GHz

#### RAM

4 GB high-speed memory

#### HDD

2 x 500 GB SATA disc space

#### Interface

Ethernet (10/100/1000-Base-T)

#### File formats

Adobe® PostScript® 3; PCL 5c/6;  
Native PDF; PDF 1.7; PDF/X-1a, X-3;  
EPS; TIFF; TIFF/IT; JPEG; PPML

#### Client environments

Windows® 7/2000/XP/Vista™  
Windows® Server 2003/2008  
Intel Macintosh OSX (10.4.x to 10.6.x)

### IC-413 EFI Fiery Controller

#### CPU

®Intel Core2Duo @ 2.6 GHz

#### RAM

2 GB high-speed memory

#### HDD

160 GB SATA hard drive

#### Interface

Ethernet (10/100/1000-Base-T)

#### File formats

Adobe® PostScript® Level 1, 2, 3  
Adobe® PDF; 1.4, 1.5, 1.6, 1.7;  
PDF/X-1a, 3; PCL, Fiery® FreeForm™  
v1/Fiery® FreeForm™ v2.1

#### Client environments

Windows® 7/2000/XP/Vista™  
Windows® Server 2003/2008  
Macintosh OSX (10.3.9 or later)  
Intel Macintosh OSX (10.4 or later)

## Scanner specifications

### Scanner speed A4

Up to 40 ipm

### Scanner speed A3

Up to 22 ipm

### Scanner resolution

600 x 600 dpi

#### Scan modes

TWAIN scan; Scan-to-HDD;  
Scan-to-FTP; Scan-to-SMB;  
Scan-to-Email

#### Scan formats

TIFF (single and multi page), PDF

## Copier specifications

### Copier speed A4

Up to 71 ipm (bizhub PRESS C7000)  
Up to 60 ipm (bizhub PRESS C6000)

### Copier speed A3

Up to 38 ipm (bizhub PRESS C7000)  
Up to 34 ipm (bizhub PRESS C6000)

### Copier resolution

Max 600 x 600 dpi

### Gradations

256 gradations

### FCOT

Less than 6.5 sec. (colour A4)

### Magnification

25–400% in 0,1% steps

### Multiple copies

1–9,999

## Accessories

### Automatic document feeder DF-622

Max.: 100 sheets

### Paper feed unit PF-602

2 trays  
Paper capacity: up to 6,000 sheets  
Paper weight: 64–300 gsm (lower tray)  
Min. paper size:  
100 x 148 mm (lower tray)  
Max. paper size: 330 x 487 mm

### Relay Unit RU-509

Cools prints for immediate finishing.  
Equipped with zig zag decurler for  
smooth and straight prints.

### Folding and punching unit FD-503

Pre-printed sheet insertion (PI):  
Punching (2 and 4 hole)  
Folding (half-fold; z-fold; gate-fold;  
letter fold in; letter fold out; double-  
parallel-fold)  
Sub tray for up to 200 sheets

### Multi (GBC) punching unit GP-501\*

Smart punching of A4 sheets  
User replaceable die sets for: velo bind;  
plastic comb; wire bind; colour coil;  
pro click  
Paper weight: 75–216 gsm

### Booklet making unit SD-506

Booklet making of up to 50 sheets  
(200 images)  
Saddle stitching; trimming  
Output tray for up to 50 booklets  
Multi letter fold in (up to 5 sheets)  
Multi half fold (up to 5 sheets)

### Stacking unit LS-505

Up to 5,000 sheets stacking capacity  
Trolley mounted stacker  
Auto-shift stacking  
Sub tray for up to 200 sheets  
Paper clamp mechanism

### Perfect binding unit PB-503

Hot melt glue binding system  
Integrated 1-side trimming of  
cover sheets  
Books from A5 up to A4+  
(307 x 221 mm) Books from 10 sheets  
up to 30 mm spine width  
Cover paper tray for up to 1,000 sheets  
Sub tray for up to 200 sheets  
Book stacking capacity of up to  
3,300 sheets – 2 stacks

### Stapling unit FS-521

Stapling of up to 100 sheets  
2-point and corner stapling  
Variable staple length  
(cutting mechanism)  
Output for up to 3,000 sheets  
Sub tray for up to 200 sheets  
Auto-shift sorting and grouping

### Humidifier unit HM-102\*\*

Humidification de-curler  
\* Requires RU-506  
\*\* Requires RU-509

**Simitri HD**  
High Definition Polymerised Toner



**Simitri**  
with Biomass





**KONICA MINOLTA**

Konica Minolta  
Business Solutions Australia Pty Ltd

**Free Call 1800 789 389**  
**konicaminolta.com.au**

**New South Wales**

4 Drake Avenue  
Macquarie Park NSW 2113  
(02) 8026 2222

**Victoria**

21-29 Moray Street  
Southbank VIC 3006  
(03) 8699 0777

**Queensland**

64 Brookes Street  
Bowen Hills QLD 4006  
(07) 3872 9100

**ACT**



1/55 Wentworth Avenue  
Kingston ACT 2604  
(02) 6206 6500

**South Australia**

255 Gilbert Street  
Adelaide SA 5000  
(08) 8231 2911

**Western Australia**

50 Belgravia Street  
Belmont WA 6104  
(08) 9479 6600



Printed on a bizhub PRESS C7000/C6000

**Product appearance, configuration and/or specifications are subject to change without notice.**

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



**Ecology & Environment**

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- Eco-conscious Toners
- RoHS Compliance
- Production at ISO Certified Factories
- WEEE Compliance

**⚠ Requirements for safe use.**

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

All specifications relating to paper capacity refer to A4 size paper of 80 gsm quality.  
All specifications relating to scanning, copying or printing speeds refer to A4 size paper that is scanned, copied or printed crosswise in multi-page, simplex mode.  
The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations.  
Some of the product illustrations contain optional accessories.  
Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.  
Konica Minolta does not warrant that all specifications mentioned will be error-free.  
Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.  
All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.